



2018 BOMBER ENDURO RACE RULES

THE IDEA OF THIS CLASS IS TO CREATE A COST-EFFECTIVE ENTRY LEVEL CLASS OF RACING FOR ALL TO ENJOY!!

MINIMUM AGE IS 14

NO RACE CARS PERMITTED

STOCK CARS ONLY

2 DOOR OR 4 DOOR

NO FULL SIZE TRUCK, VAN, SUV OR CONVERTIBLE NO JEEP TYPE VEHICLE

NO 4-WHEEL DRIVE OR ALL WHEEL DRIVE VEHICLE

CARS MAY BE FRONT OR REAR WHEEL DRIVE

4, 6 OR 8 CYLINDER ENGINES

101" MINIMUM STOCK WHEELBASE ALLOWED

NO TURBOS

ROLL CAGE RECOMMENDED

IF NO ROLL CAGE INSTALLED, MUST HAVE POST BEHIND DRIVER SEAT FROM FLOOR TO TOP OF CAR

STEEL 2x3 SQUARE TUBING ON DRIVER SIDE COVERING ENTIRE DOOR AREA AT BUMPER HEIGHT

GUTTING OF FACTORY INTERIOR PANELS ONLY ALLOWED FOR ROLL CAGE CLEARANCE. YOU MAY REMOVE THE INNER DOOR BRACING TO REPLACE WITH DOOR BARS

NO BRACING IN THE BUMPER AREAS

BUMPERS SHOULD BE CHAINED OR CABLED AS A SAFETY ITEM TO HELP HOLD THE BUMPER

ALL DOORS MUST BE WELDED, CHAINED OR BOLTED SHUT

WINDSHIELD MAY BE REPLACED WITH LEXAN

SEAT BELTS MANDATORY

RACING SHOULDER HARNESS AND LAP BELTS ARE RECOMMENDED



RACING SEATS ARE ALLOWED

ANY OPENINGS TO THE TRUNK AREA MUST BE ENCLOSED

ALL BURNABLE TYPE MATERIAL, FLOOR MATS, HEAD LINERS, REAR SEATS MUST BE REMOVED

THE REAR SEAT SHELF MUST BE LEFT IN AS A FIRE STOP

BUMPER TO BUMPER STEEL UNI-BODY MUST BE RETAINED

NO LIGHTENING PERMITTED

THE STOCK STEEL UNALTERED FLOOR PAN, FIREWALLS, TRUNK AND WHEEL WELLS MUST BE RETAINED

FUEL CELLS PERMITTED AND MAY BE PLACED IN TRUNK AREA IF SECURELY FASTENED

GAS TANK MAY BE ORIGINAL IF LOCATED AHEAD OF REAR AXLE OR SECURELY FASTENED IN TRUNK

CARS MUST RETAIN THEIR STOCK APPEARANCE

NO CUTTING, CHOPPING, CHANNELING OR SHORTENING ALLOWED

HOODS MUST BE KEPT IN PLACE AT ALL TIMES

WINDOW NETS ARE RECOMMENDED

SUSPENSION PARTS MUST REMAIN STOCK FOR THAT MAKE AND MODEL CAR

NO SPACERS, LUMBER OR CHAINS ETC. MAY BE USED TO ALTER STOCK SUSPENSION OF CAR

NO ADDITIONAL WEIGHT MAY BE ADDED TO CAR STOCK

OEM WHEELS ONLY (NO RACING WHEELS)

TIRES - D.O.T. LEGAL TIRES MUST BE 320 TREADWEAR OR HIGHER – NO RECAPS

NO DOT STAMPED RACING TIRES

NO TRUCK TIRES

NO TREATED TIRES

NO GROOVING OR SIPING OF TIRES

THE ENGINE MUST BE STRICTLY STOCK FOR THAT MAKE AND MODEL AND IN ITS ORIGINAL MOUNTS



NO AFTERMARKET EXTERNAL OIL COOLERS

A/C AND HEAT COMPONENTS MAY BE REMOVED SMOG

EQUIPMENT MAY BE REMOVED

AIR CLEANER TO OIL PAN MUST BE ALL FACTORY EQUIPMENT STOCK

TRANSMISSION AND REAR END ONLY

NO AFTERMARKET EXTERNAL OIL COOLERS

ALL TRANSMISSION LINES MUST BE COVERED OR RUN OUTSIDE OF DRIVER AREA OF CAR

ONLY ONE RADIATOR CAN BE USED

RADIATOR MUST REMAIN IN ORIGINAL POSITION

NO COOLANT OR GAS LINES IN THE DRIVER AREA OF CAR BATTERIES

MAY BE RELOCATED IN A SECURE FASTENED COVERED PLASTIC OR

RUBBER CONTAINER

ALL PLASTIC GRILLS MUST BE REMOVED OR REPLACED WITH SCREEN MESH HEADLIGHTS,

TAIL LIGHTS, OUTER TRIM MUST BE REMOVED

SIDE AND REAR WINDOW GLASS MUST BE REMOVED

REAR VIEW MIRRORS ARE ALLOWED

RUPTURE OF YOUR GAS TANK AND OR LOSS OF GAS REQUIRE AN IMMEDIATE BLACK FLAG

NO LOCKED REARS

FIRE SUIT, GLOVES AND APPROVED HELMET REQUIRED FOR EACH DRIVER

TRANSPONDERS NOT REQUIRED